Dart Aerospace Ltd. Wednesday, 2/20/2008 4:17:53 PM Kim Johnston User: **Process Sheet** : BASKET LID ASSEMBLY : CU-DAR001 Dart Helicopters Services **Drawing Name** Customer Job Number : 37513A Estimate Number : 10206 : D2989041 Part Number : D2989 UNDER REVIEW 01.02.21 P.O. Number : 2/20/2008 S.O. No. : **Drawing Number** This Issue : N/A : NC Project Number Prsht Rev. : LARGE FAB ASSY : B : // **Drawing Revision** First Issue Type : 37512A Material Previous Run Due Date : 3/15/2008 Qty: 1 Um: Written By Checked & Approved By 05-11-03 JLM Comment Removed D2989-043 Additional Product Job Number: Machine Or Operation: Description: Seq. #: 1.0 D31663 Basket Hoop Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Pick: Batch: 1537612 Qty.(1) D3166-3 Mounting Bracket 2.0 D2581 Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: Description Batch Qty Part number Mounting Brackets 037248 2 D2581 3.0 D23273 Spacer Bushing

04 01

Each

Comment: Qty.:

2.0000 Each(s)/Unit Total: 2.0000 Each(s)

Pick:

Qty Part number

Description Batch

2 D2327-3

Bushing

4.0

D2506

Placard

Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s)

Qty Part number

1 D2506

Description Batch Label Plate 17 35585

C 08 04 01



Dart Aerospa	ce	Ltd	
--------------	----	-----	--

W/O:		WORK ORDER C	WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
Part No		PAR #: Fault Category:	NCR: Yes	No DQ	A :	Date: _	·····			
			QA:	N/C Close	d:	Date:				

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
DATE		Description of NC		Corrective Action Section B		Varification				
	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector		
		16 22								
		•								
					-					
							<u> </u>			
						(A) (\$) (\$)				
						٠		•		

NOTE: Date & initial all entries

Date: Wednesday, 2/20/2008 4:17:53 PM Kim Johnston User: **Process Sheet** Drawing Name: BASKET LID ASSEMBLY Customer: CU-DAR001 Dart Helicopters Services Part Number: D2989041 Job Number: 37513A Job Number: Description: Seq. #: Machine Or Operation: Expanded Metal Flat Stai 5.0 M304EX07516F Comment: Qty.: 15.0000 sf(s)/Unit Total: 15.0000 sf(s) Pick: Qty Part number Description Batch 15sf M304EX0.75-16F Expanded Metal 0.065" pt 08.02.21 31.7709 f(s) Abriit Total: 31.7709 f(s) 3/4" x 3/4" x 9.965" wall 304/316 SStubing. Batch: 10 7514 LARGE FABRICATION RESOURCE 1 7.0 Comment: LARGE FABRICATION RESOURCE 1 1-Cut (4) D2236-1 From D3166-3 As Per Dwg D2989 2-Drill holes in tubing as D2989-041 per Dwg D2989 FC 3-Deburr and remove all markings on material 4-Weld as per Dwg D2989 and D2989-041 Assembly using Welding Table and corner Jig. Deburr as Note: Expanded metal "diamonds" must run lengthwise. Eg 2.0" along length of lid 5-Drill Ø0.257" hole as D2989-041 per Dwg D2989Identify as D2989-041 8.0 QC9 WELDING INSPECTION 9.0 QC5 INSPECT WORK TO CURRENT STEP Comment: INSPECT WORK TO CURRENT STEP POWDER COATING 10.0 POWDER COATING Comment: POWDER COATING 1-Powder Coat White (Ref. 4.3.5.2) D2989-041 as per QSI 005 4

Page 2

Dart Aerospace Ltd

W/O:		WORK ORDER CHA	WORK ORDER CHANGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
•							
Part No		PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date: _	
			QA:	N/C Close	d:	Date:	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
DATE		Description of NC	Corrective Action Section B			Verification	Annroyal			
	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspecto		
		,								
						1				

NOTE: Date & initial all entries

Date: Wednesday, 2/20/2008 4:17:53 PM User: Kim Johnston **Process Sheet** Drawing Name: BASKET LID ASSEMBLY Customer: CU-DAR001 Dart Helicopters Services Part Number: D2989041 Job Number: 37513A Job Number: Description: Seq. #: Machine Or Operation: 2-Wing walk D2989-041 as per Dwg D2989 and QSI 005 4.4 Spray Paint Black: M 107603 Wing Walk: m 107385 INSPECT POWDER COAT/CHEMICAL CONVERSION QC3 11.0 Comment: Inspect Powder Coat and Wing Walk FINAL INSPECTION/W/O RELEASE 12.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE 08-04-09 Job Completion

Page 3

Dart Aerospace Ltd

W/O:		WORK ORDER C	WORK ORDER CHANGES			WORK ORDER CHANGES			
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC inspector		
•									
·	:								
Part No	•	PAR #: Fault Category:	NCR: Ye	es No DQ		Date:			
			QA	: N/C Close	ed:	Date:			

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC	Corrective Action Section B		V:6:4:	Ammrough				
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector		
		1			,					

NOTE: Date & initial all entries



DESIG	n DS	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA				
CHECK	KED ./	APPROVED	DRAWING NO.	REV. B			
	世	M	D2989 SHEET	1 OF 3			
DATE			TITLE	SCALE			
05.0	06.07		BASKET LID ASSEMBLY	NTS			
Α		00.10.27	NEW ISSUE				
В		05.06.07	ADD SHIM UNDER HINGES, UPDATE LID DIMENSIONS)			

RELEASED 05.08.19

PARTS LIST:

Qty -041	Qty -043	Part Number		NELL PARTY OF
Х		D2989-041	BASKET LID ASSEMBLY (OUTSIDE)	0,,,
	X	D2989-043	BASKET LID ASSEMBLY (INSIDE)	
	1	D2989-1	STRUT	
	1	D2989-2	STRUT	
	1	D2989-3	STRUT	
	1	D2989-4	STRUT	
	2	D2989-5	STRUT	
	2	D2989-7	STRUT	
1		D2989-9	STRUT	
1		D2989-10	STRUT]
1		D2989-11	STRUT	
1		D2989-12	STRUT	
2		D2989-13	STRUT	
2		D2989-15	STRUT	

2		D2327-3	SPACER BUSHING	POPY
1		D2506		UNTO
2	2	D2989-17	STRUT (96.00" LONG)	ERING
2		D2989-19	STRUT (31.19" LONG)	LIED COP
1		D2512-7	STRUT UNCON'I	ROLLED COPY AMENDMENT
2		D2581	MOUNTING BRACKET SUBJECT	AMENDMENT TO AMENDMENT TO T NOTICE
	2	D3182-1		
	2	D3442-3	SHIM	17513/

NOTES:

0.065 PA 08.03/21 1) FRAME MATERIAL: AISI 304/316 SS, $3/4 \times 3/4 \times 0.060$ WALL SQUARE TUBING D2989-3/4/5/11/12/13 CAN BE MADE FROM D2236

2) MESH MATERIAL: 3/4-16F EXPANDED SS (REF DART SPEC M304EX0.75-16F)

3) WELD PER DART QSI 004

4) FINISH: POWDER COAT WHITE (REF. 4.3.5.2) PER DART QSI 005 4.3.

BLACK ANTI-SKID PAINT AS INDICATED PER DART QSI 005 4.4. SPRAY PAINT

INSIDE SURFACE BLACK PRIOR TO APPLYING ANTI-SKID.

5) ALL DIMENSIONS ARE IN INCHES

5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

Copyright © 2000 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



